© Copyright 20	omposition De 005. IPC, Bannock nd Pan-American c	burn, Illinois. A	ll rights reserved untions.	under both	This docume level parts, t	ent is a decla he declaratio	ration of the n encompas	e substances sses all lowe	within the	e manufacture aterials for wh	er listed ite hich the m	em. Note anufactu	e: if the ite rer has en	em is an asse agineering res	mbly with lower ponsibility.
	IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				*	Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater					als and Mfg Information				
Supplier Information															
Company name*	Company uni	Company unique ID			Unique ID Authority					Response Date*					
onsemi											2023-06-08				
Contact Name	Title - Contac	Title - Contact			Phone - Contact*					Email - Contact*					
Product-Env-Stewards	Product Enviro Compliance				NA					Product-Env-Stewards@onsemi.com					
Authorized Representative*	Title - Representative			Phone - Representative*				Email - Representative*							
Product-Env-Stewards	Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com						
Requester Item Number	em Number Mfr Item Numl		Number Mfr Item Name			Effective D	ate Versio	on Manufacturing Site		V	/eight*	U	ОМ	Unit Type	
	NLVHC	NLVHC4051ADTR2G		ANALOG MULTIPLEXERS/DEMUL		2023-06-08]	PH1		4	4.58	m	ıg	Each
Manufacturing Proccess Info	rmation					·									
Terminal Plating / Grid Arra	erminal Plating / Grid Array Material Te		inal Base Alloy J-STD-02		L Rating	Peak Pr	rocess Body	cess Body Temperature M		re Max Time at Peak Tempera		ature Number of Reflow Cycles		5	
Precious metal (e.g. Ag,Au, NiPdAu) (no Sn)		U Alloy 1		1		260		С	30 seco		second	econds 3			
Comments						·		•			·				
evel 1 - maximum time at peak temp	erature during so	ldering is 10-3	0 seconds												
For more information regarding mat	erial composition	please refer to	page 3												

RoHS Material Composition Declaration				Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).											
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of							
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all							
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the							
Supplier Digital Signature Ra	stislav Drska	Le										

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	0.42	mg	Supplier	Silicon (Si)	7440-21-3		0.42	mg
Die Attach	0.22	mg		Epoxy resin	proprietary data		0.022	mg
			Supplier	Ethylene dimethacrylate	97-90-5		0.011	mg
			Supplier	Silver (Ag)	7440-22-4		0.176	mg
			Supplier	Formaldehyde Polymer	9003-36-5		0.011	mg
Lead Frame	20.76	mg	Supplier	Zinc (Zn)	7440-66-6		0.0249	mg
			Supplier	Iron (Fe)	7439-89-6		0.4879	mg
			Supplier	Copper (Cu)	7440-50-8		20.241	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0062	mg
Mold Compound-Black	20.86	mg		Epoxy resin	proprietary data		1.5645	mg
			Supplier	Phenolic Resin	Proprietary Data		0.5215	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		1.5645	mg
			Supplier	Carbon Black (C)	1333-86-4		0.1043	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		17.1052	mg
Plating	2.12	mg	Supplier	Palladium (Pd)	7440-05-3		0.1611	mg
			В	Nickel (Ni)	7440-02-0		1.9292	mg
			Supplier	Gold (Au)	7440-57-5		0.0297	mg
Wire Bond - Cu	0.2	mg	Supplier	Copper (Cu)	7440-50-8		0.2	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).