Mfg Item Number	MK21DN512VMC5	
Mfg Item Name	MAPBGA 121 8*8*1.4 P0.65	
SUPPLIER		
Company Name	Freescale Semiconductor Inc	
Company Unique ID	14-141-7928	
Response Date	2016-01-22	
Response Document ID	00BCK00195D007A1.13	
Contact Name	Freescale Semiconductor Inc	
Contact Title	Product Technical Support	
Contact Phone	1-800-521-6274	
Contact Email	support@freescale.com	
Authorized Representative	Daniel Binyon	
Representative Title	EPP Customer Response	
Representative Phone	512-895-3406	
Representative Email	eppanlst@freescale.com	
URL for Additional Information	www.freescale.com	

DECLARATION	
EU RoHS	Yes
Pb Free	Yes
HalogenFree	Yes
Plating Indicator	e1
EU RoHS Exemption(s)	

MANUFACTURING	
Mfg Item Number	MK21DN512VMC5
Mfg Item Name	MAPBGA 121 8*8*1.4 P0.65
Version	ALL
Weight	0.196450
UoM	g
Unit Volume	EACH
J-STD-020 MSL Rating	3
Peak Processing Temperature	260 C
Max Time at Peak Temperature	40 seconds
Number of Processing Cycles	3

RoHS						
RoHS Directive	2011/65/EU					
RoHS Definition	RoHS Definition: Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE) and quantity limit of 0.01% by mass (100 PPM) of homogeneous material of Cadmium					
RoHS Legal Definition	Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part(s) identified on this form contains lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a RoHS restricted substance) in excess of the applicable quantity limit identified below. If a homogeneous material within the part(s) contains a RoHS restricted substance in excess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its suppliers have provided certifications regarding their contributions to the part(s), and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier provides as part of that agreement, will be the sole and exclusive source of the Suppliers liability and the Company's remedies for issues that arise regarding information the Supplier provides in this form. In the absence of such written agreement, the warranty rights and/or remedies of Supplier Standard Terms and Conditions of Sale ap					
RoHS Declaration	1 - Item(s) do not contain RoHS restricted substances per the definition above					
Supplier Acceptance	Accepted					
Signature	Daniel Binyon					
Exemption List Version	2012/51/EU					
List of Freescale Accepted Exemptions	6(a) : Lead as an alloying element in steel for machining purposes and in galvanized steel containing up to 0.35% lead by weight					
	6(b) : Lead as an alloying element in aluminium containing up to 0.4% lead by weight					
	6(c) : Copper alloy containing up to 4% lead by weight					
	7(a) : Lead in high melting temperature type solders (i.e. lead-based alloys containing 85% by weight or more lead)					
	7(b) : Lead in solders for servers, storage and storage array systems, network infrastructure equipment for switching, signaling, transmission, and network management for telecommunications					
	7(c)-I : Electrical and electronic components containing lead in a glass or ceramic other than dielectric ceramic in capacitors, e.g. piezoelectronic devices, or in a glass or ceramic matrix compound					
	7(c)-II : Lead in dielectric ceramic in capacitors for a rated voltage of 125 V AC or 250 V DC or higher					
	7(c)-III : Lead in dielectric ceramic in capacitors for a rated voltage of less than 125 V AC or 250 V DC					
	7(c)-IV : Lead in PZT based dielectric ceramic materials for capacitors being part of integrated circuits or discrete semiconductors					
	15 : Lead in solders to complete a viable electrical connection between semiconductor die and carrier within integrated circuit flip chip packages					

MATERIAL COMPOSITION

omogeneous Material	Weight				SubstanceWeight	UoM	SubPart PPM	SubPart%	ARTICLEPPM	ARTICLE%
n-Conductive Epoxy/Adhesive	0.0017					g				
n-Conductive Epoxy/Adhesive		Plastics/polymers	Proprietary Material-Other Epoxy resins	-	0.0001275	g	75000	7.5	649	0.0649
n-Conductive Epoxy/Adhesive		Plastics/polymers	Crosslinked acrylate polymer	25767-43-5	0.00034	g	200000	20	1730	0.173
-Conductive Epoxy/Adhesive		Plastics/polymers	Other polymers	-	0.0001275	g	75000	7.5	649	0.0649
n-Conductive Epoxy/Adhesive		Plastics/polymers	Proprietary Material-Other polymers	-	0.00034	g	200000	20	1730	0.173
n-Conductive Epoxy/Adhesive		Glass	Silica, vitreous	60676-86-0	0.000765	g	450000	45	3894	0.3894
der Balls - Lead Free	0.03145					g				
der Balls - Lead Free		Antimony/Antimony Compounds	Antimony (metallic)	7440-36-0	0.00000204	g	65	0.0065	10	0.001
ler Balls - Lead Free		Arsenic/Arsenic Compounds	Arsenic	7440-38-2	0.00000101	g	32	0.0032	5	0.0005
der Balls - Lead Free		Bismuth/Bismuth Compounds	Bismuth	7440-69-9	0.00000079	g	25	0.0025	4	0.0004
der Balls - Lead Free		Metals	Copper, metal	7440-50-8	0.00014873	g	4729	0.4729	757	0.0757
der Balls - Lead Free		Metals	Iron, metal	7439-89-6	0.00000104	g	33	0.0033	5	0.0005
der Balls - Lead Free		Lead/Lead Compounds	Lead	7439-92-1	0.00000846	g	269	0.0269	43	0.0043
der Balls - Lead Free		Nickel (external applications only)	Nickel	7440-02-0	0.0000011	g	35	0.0035	5	0.0005
der Balls - Lead Free		Metals	Silver, metal	7440-22-4	0.00029179	g	9278	0.9278	1485	0.1485
der Balls - Lead Free		Metals	Tin, metal	7440-31-5	0.03099303	g	985470	98.547	157765	15.7765
der Balls - Lead Free		Metals	Germanium	7440-56-4	0.00000201	g	64	0.0064	10	0.001
ding Wire, Copper	0.0008					g				
ding Wire, Copper		Metals	Copper, metal	7440-50-8	0.000776	g	970000	97	3950	0.395
ding Wire, Copper		Solvents, additives, and other materials	Other miscellaneous substances (less than 5%).	-	0.000024	g	30000	3	122	0.0122
Encapsulant, Halogen-free	0.0872					g				
Encapsulant, Halogen-free		Metals	Other aluminum compounds	-	0.002616	g	30000	3	13316	1.3316
Encapsulant, Halogen-free		Solvents, additives, and other materials	Carbon Black	1333-86-4	0.000872	g	10000	1	4438	0.4438
Encapsulant, Halogen-free		Plastics/polymers	Phenol, polymer with formaldehyde	9003-35-4	0.002616	g	30000	3	13316	1.3316
Encapsulant, Halogen-free		Plastics/polymers	Other phenolic resins	-	0.002616	g	30000	3	13316	1.3316
Encapsulant, Halogen-free		Glass	Silica, vitreous	60676-86-0	0.07412	g	850000	85	377309	37.7309
Encapsulant, Halogen-free		Plastics/polymers	Other Non-halogenated Epoxy resins	-	0.00436	g	50000	5	22193	2.2193
on Semiconductor Die	0.0316					g				
con Semiconductor Die		Solvents, additives, and other materials	Other miscellaneous substances (less than 5%).	-	0.000632	g	20000	2	3217	0.3217
con Semiconductor Die		Glass	Silicon, doped	-	0.030968	g	980000	98	157638	15.7638
anic Substrate	0.0437					g				
ganic Substrate		Solvents, additives, and other materials	Acrylonitrile/Butadiene copolymer, carboxyl terminated (26/74)	68891-46-3	0.00028112	g	6433	0.6433	1431	0.1431
anic Substrate		Metals	Barium sulfate	7727-43-7	0.00260417	g	59592	5.9592	13256	1.3256
anic Substrate		Metals	Copper, metal	7440-50-8	0.01232803	g	282106	28.2106	62754	6.2754
janic Substrate		Plastics/polymers	4,4'-dihydroxy-3,3',5,5'-tetramethylbiphenyl digycidyl ether	85954-11-6	0.00149262	g	34156	3.4156	7597	0.7597
anic Substrate		Plastics/polymers	Phenolic Polymer Resin, Epikote 155	9003-36-5	0.01136991	g	260181	26.0181	57876	5.7876
anic Substrate		Metals	Gold, metal	7440-57-5	0.00013363	g	3058	0.3058	680	0.068
anic Substrate		Solvents, additives, and other materials	Silicon	7440-21-3	0.00003365	g	770	0.077	171	0.0171
anic Substrate		Nickel (external applications only)	Nickel	7440-02-0	0.00135605	g	31031	3.1031	6902	0.6902
anic Substrate		Glass	Fibrous-glass-wool	65997-17-3	0.0107998	g	247135	24.7135	54974	5.4974
anic Substrate		Plastics/polymers	Other acrylic resins	-	0.00198062	g	45323	4.5323	10082	1.0082
anic Substrate		Plastics/polymers	Other acrylic/epoxy resin mixture		0.0013204	0	30215	3.0215	6721	0.6721

LINKS	
MCD LINK	
NXP website	http://www.nxp.com
GENERAL ENVIRONMENTAL COMPLIANCE LINKS	
RoHS signed letter	http://www.nxp.com/files/corporate/doc/support_info/NXP-ROHS-DECLARATION.pdf
China RoHS	http://www.nxp.com/about/corporate-responsibility/environmental-compliance-organization/china-rohs:ENV_CHINA_ROHS_STRATEGY
REACH signed letter	http://www.nxp.com/files/corporate/doc/support_info/NXP-REACH-STATEMENT.pdf
ELV signed letter	http://www.nxp.com/files/corporate/doc/support_info/NXP-ELV-STATEMENT.pdf
Conflict Minerals statement	http://www.nxp.com/files/corporate/doc/support_info/NXP-STATEMENT-CONFLICT-MINERALS.pdf
NXP ENVIRONMENTAL INFORMATION	
Environmental Compliance website	http://www.nxp.com/about/corporate-responsibility/environmental-compliance-organization:ABUENVPRFPRDX
FAQ	http://www.nxp.com/about/corporate-responsibility/environmental-compliance-organization/eco-product-faqs:ENVIRON_FAQ
Technical Service Request	http://www.nxp.com/support/sales-and-support:SUPPORTHOME
LINKS TO BLANK IPC1752 FORMS	
Blank IPC1752 v1.1 Form	http://www.NXP.com/files/abstract/corporate/ehs_epp/IPC-1752-2_v1.1_MCD_Template.pdf

IPC1752 XML LINKS

http://www.freescale.com/mcds/MK21DN512VMC5_IPC1752_v11.xml

http://www.freescale.com/mcds/MK21DN512VMC5_IPC1752A.xml