



Product/Process Change Notice - PCN 14_0141 Rev. -

Analog Devices, Inc. Three Technology Way Norwood, Massachusetts 02062-9106

This notice is to inform you of a change that will be made to certain ADI products (see Material Report). Any issues with this PCN or requirements to qualify the change (additional data or samples) must be sent to ADI within 30 days of publication date. ADI contact information is listed below.

PCN Title: AD549 K Grade Datasheet Revision
Publication Date: 19-Aug-2014
Effectivity Date: 17-Nov-2014 *(the earliest date that a customer could expect to receive changed material)*

Revision Description:

Initial Release

Description Of Change

Change in Initial Offset Voltage: from Max=0.25mV to Max=0.50mV
Change in Offset Voltage at T_{Max}: from Max=0.40mV to Max=0.90mV
Change in Offset Voltage vs Temperature: From Max=5.0uV/C to Max=15.0uV/C

Reason For Change

Specification change to improve device manufacturability.

Impact of the change (positive or negative) on fit, form, function & reliability

No change to the Fit, Form, or Reliability with the exception of the changes listed above.

Summary of Supporting Information

The above changes will be incorporated into Revision I of the AD549 data sheet.

Comments

Supporting Documents None

For questions on this PCN, send email to the regional contacts below or contact your local ADI sales representative

Americas: PCN_Americas@analog.com

Europe: PCN_Europe@analog.com

Japan: PCN_Japan@analog.com

Rest of Asia: PCN_ROA@analog.com

Appendix A - Affected ADI Models

Added Parts On This Revision - Product Family / Model Number (1)

AD549 / AD549KHZ				
------------------	--	--	--	--

Appendix B - Revision History

Rev	Publish Date	Effectivity Date	Rev Description
Rev. -	19-Aug-2014	17-Nov-2014	Initial Release

Analog Devices, Inc.

DocId:2923 Parent DocId:None Layout Rev:7